
Pierre Boutique Suit Questionnaire

| | | http://v | | ierreboutiq | | | | |
|--|--|---|--------|-------------------------------|---|-------------------------------|---------------|---------------------|
| ORDER DATE | CUSTO | OMER NAME | | | STREET / | ADDRESS | | |
| City | State | Zip Code | | Phone | # Fax # | Height | | Weight |
| City | State | Zip code | | THORIC | # T dX # | ricigiti | | Weight |
| THE PARTY OF THE P | | 1.Neck | | | 111111111111111111111111111111111111111 | | 2.Che | st |
| apple/ voice box. To | provide some | r neck right below the A extra space and to ens ween the neck and the tap | ure a | measuring to chest while I | e chest measurement ape directly through the seeping it at the same breathe out while me | ne armpit and level on the ba | across the fu | ullest part of your |
| | | 3.Waist | | | | | 4.Se | at |
| | | est part, usually right above athe out while measuring. | e your | | round the fullest part pockets before taking | | | t forget to empty |
| | | 5.Jacket length | | | | | 6.Front \ | Nidth |
| | | ır shoulder (A) (next to the mally you should measure | | intersection | width is measured of arm and chest to t o your arms straigh | he right-hand | side of the s | same intersection. |
| | | 7.Back Width | | | TOTAL | | 8.Arml | nole |
| intersection of arm a | and back to the | est level from the left-hand right-hand side of the ight and close to your body | same | | le is measured aroun over the shoulder and | | | uring tape should |
| THE WAY WAY | the contract of the contract o | 9.Biceps | | 高度发展 | THE SECOND | | 10.Wi | rist |

Measure the biceps at its widest part. Usually, this is exactly the middle of the upper arm. Please relax your biceps while being measured.


Measure around the wrist, let loose so that you can insert a finger between your body and the measuring tape.






Measure between your shoulders (A) (where the sleeve starts). The measuring tape should be close to the lowest part of the shirt's neck (B).






Take the measurement of the trouser length from the top of the waistband down to the floor.





Pass the measuring tape from the upper waistband at the front through the crotch to the upper waistband at the back to measure the length of your crotch. Make sure that the measuring tape is held closely to your body while measuring





Take the measurement at the widest part of your knee.



| 12 | .Slee | evele | ength | 1 |
|----|-------|-------|-------|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Measure from the shoulder's seam (A) all along the arm to the thumb bone (B).



| 1 | 4.Wa | aistb | and | |
|---|------|-------|-----|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

It is best if you wear comfortably fitting trousers and take the measurement directly above the waistband. Make sure that the measuring tape is held closely to the body while measuring.



| 16.Thigh | _ |
|----------|---|
| | |
| | |
| | 1 |
| | |
| | |

Take the measurement at the fullest part of your thigh right below the crotch. Pass the tape loosely around the thigh so that there is enough space for one finger between tape and thigh.



| _ | 18.Trouser hem | |
|---|----------------|--|
| | | |
| | | |
| | | |
| | | |
| | | |

The width of the trouser hem is measured around the back of your heel to the desired position on the front.

Optional Detail Back Shape

